

TDC Power Products Co.,Ltd
Cheng Yen Electronic Co.,Ltd



DA-12-18

INPUT VOLTAGE **120VAC**
OUTPUT VOLTAGE **18VAC**

ELECTRICAL & MECHANICAL SPECIFICATION



E149474
3G58



ELECTRONICAL SPECIFICATION

Input Voltage	120	Volts
Frequency (Hz)	60	Hz
Power Rated (W)	18	W
Exciting Current With No load	60	mA Max
Exciting Current With Full load	150	mA Max
Output Voltage	18.0	Volts±5%
Output Current	0.67	Amp
Output Voltage Without Load	20.0	Volts±5%
HI-POT :		
Test Time	1	Min
PRI TO SEC	1250	Volts
PRI TO CORE	1250	Volts
SEC TO CORE	1250	Volts
Efficiency	70	%
Insulation Class	B (130)	°C

MECHANICAL SPECIFICATION

Dimensions (L*W*H)	76.5*48.5*40.0	mm
Weight	320	g
Environment:		
Operating Temperature	-10 To 40	°C
Storage Temperature	-20 To 70	°C
Relative Temperature	40°C±2°C	
RELATIVE HUMIDITY	90% RH	

Output Cable: **2468# 20AWG*2C 80 °C**
2.0M LENGTH+5.5*2.1*10 (I)PLUG

ELECTRICAL CIRCUIT

